



**polycon**  
surface water drainage

**SELF Eco 200**  
**DATASHEET**

*Service . Range . Knowledge*

# SELF ECO 200

The Self Eco 200 drainage channel is a great solution for maximum water capacity needs. It's unmatched ability to handle heavy rainfall, coupled with the durability of polymer concrete, makes it a reliable choice for professionals and organisations looking to secure efficient and long-lasting water management solutions in even the most demanding settings. When it comes to ensuring the removal of heavy rainfall and safeguarding against flooding, the Self Eco 200 is the ultimate choice.




## DATA SHEET




### Depth Options

#### 100mm Depth



#### 150mm Depth




### Accessories- Specifications

Reference	Description	Length	Height (H)	Overall Width	Weight (KG)	Outlet
SELF.ECO.200.SU	Self Eco 200 Sump Unit	500mm	585mm	250mm	38kg	110mm
SELF.ECO.200.S110	Self Eco 200 110mm Spigot	110mm	100mm	110mm	0.8kg	110mm
SELF.ECO.200.FT	Self Eco 200 Foul Trap	30mm	150mm	85mm	0.4kg	110mm
SELF.ECO.200.ECO	Self Eco 200 End Cap Outlet	22mm	150mm	250mm	1.2kg	110mm
SELF.ECO.200.EC	Self Eco 200 End Cap	25mm	150mm	250mm	0.8kg	-



Mesh Steel Grating (B125)



Ductile-Iron OvalGrip Grating (C250)

### Channel / Grating - Specifications

Reference	Description	Length	Internal Width	Overall Width	Overall Depth(H1)	Internal Depth(D1)	Outlet
SELF.150.80	Self Eco 100 80mm Depth	1000mm	200mm	250mm	100mm	80mm	160mm
SELF.150.150	Self Eco 100 150mm Depth	1000mm	200mm	250mm	150mm	130mm	160mm

Reference	Description	Length (mm)	Internal Width	Overall Width	Overall Depth(mm)	Internal Depth(mm)	Load Class	Safe Heel
SELF.200.MSG	Self Eco 200.150 + Mesh Steel Grating	500/1000	200mm	250mm	100/150	80/130	A/B	No
SELF.200.DIOG	Self Eco 200.150 + Ductile Iron OvalGrip Grating	500/1000	200mm	250mm	100/150	80/130	A/B/C	No



**Polycon Surface Water Drainage**

**Widnes Business Park  
Foundry Lane  
Widnes  
Cheshire  
WA8 8UB**

**[www.polycon.co.uk](http://www.polycon.co.uk)  
0151 422 9747  
[sales@polycon.co.uk](mailto:sales@polycon.co.uk)**

*Service . Range . Knowledge*